

8.1 statische Werte

Profil	Bezeichnung	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	G (kg/m)
9001	Rahmen 69mm x 90mm	72,71	13,94	15,70	3,20	2,62
9002	Rahmen 94mm x 90mm	83,87	22,72	20,13	4,83	2,76
9003	Rahmen 94mm x 90mm	91,88	29,46	20,35	5,75	2,88
9004	Rahmen 44mm x 90mm	63,83	7,00	15,32	3,18	2,48
9005	Rahmen 69mm x 90mm	83,87	19,40	20,13	4,95	2,76
9006	Rahmen 69mm x 90mm	78,95	15,01	17,25	3,32	2,75
9007	Rahmen 69mm x 90mm	74,68	14,42	15,69	3,23	2,69
9008	Rahmen 69mm x 90mm	76,71	14,61	17,25	3,32	2,68
9011	Pfosten 94mm x 90mm	78,86	22,36	15,87	4,76	2,74
9012	Verbreiterung 94mm x 90mm	67,89	37,71	19,76	8,02	3,00
9021	Fensterflügel 81mm x 100mm	70,96	12,08	14,73	2,83	2,13
9022	Fensterstulpflügel 61mm x 100mm	54,55	5,86	14,21	1,65	1,94
9031	Türflügel n.i. 110mm x 90mm	111,97	65,86	25,15	11,80	4,17
9032	Türflügel n.a. 110mm x 90mm	111,33	63,34	25,44	10,92	4,18
9033	Türprofil 94mm x 90mm	101,38	52,51	24,13	9,80	4,02
9034	Türprofil 110mm x 90mm	123,24	75,16	29,30	12,48	4,34
9035	Türflügel n.i. flg.-überd. Füllung	86,85	51,02	18,49	8,91	3,89
9041	Wechsel Tür n.a. 50mm x 85mm	39,22	7,85	8,74	2,36	1,53
9051	Rahmen 44mm x 90mm	70,41	7,70	16,9	3,30	2,60
9052	Rahmen 44mm x 90mm	66,95	7,37	15,39	3,26	2,54
9054	Rahmen 94mm x 90mm	83,57	22,73	17,45	4,76	2,80
9059	Rahmen 94mm x 90mm	86,53	22,80	20,12	4,72	2,83